



SKE Industries

The KTB Conveyor is a track mounted fully mobile conveyor designed to work at production rates of up to 500tph. As mobile crushers and screens constantly get larger with increased throughputs, transport restrictions have not allowed for their on board conveyors to increase in size and length to cope with higher tonnages. Track conveyors fulfil this need by providing much larger stockpile capacity and at the same time improve plant mobility by removing material from the processing equipment.

Website: www.skecon.com


Email: info@skecon.com

KTB Tracked Conveyor

Capacity: 0 to 500 t/h

Model: KTB1020, KTB1024, KTB1030


Driving: Electric and Diesel, Pure Diesel



Applications:


- Stockpiling from secondary crushers, screens and shredders.
- Stockpiling crushed stone, sand and gravel, mineral ores, mulch, woodchip/biomass.
- Stockpiling construction and demolition waste, top soil, coal, grain etc.
- Receiving crushed material and stockpiling safely over a quarry face/bench.
- Working as part of a mobile system on short to medium term projects.
- Ship and truck loading.

Conveyor Working Dimension




Conveyor Transporting Dimension


1




2




1



2



1




2




Conveyor Transporting Dimension

Head Folded, Tail Not Folded (Feedboot Fitted)



Head and Tail Folded (Feedboot Fitted)



Head and Tail Folded (Feedboot Not Fitted)

