



# SKE Industries

The KTL Conveyor is a track mounted fully mobile conveyor designed to work at production rates of up to 500tph (550 Ton per hr). Telestacks low feed, hopper feeder range is designed to be loaded directly from wheel loaders, grab cranes, excavators etc. feed auxiliary equipment, reclaim to other conveyors, directly load ships, trucks, rail wagons etc. Since the hopper feeder is track mounted the unit has excellent mobility on site and will eliminate double handling of material, which reduces overall costs for operator.

Website: [www.skecon.com](http://www.skecon.com)

Email: [info@skecon.com](mailto:info@skecon.com)

## KTL Low Feeder Conveyor

**Capacity:** 0-500 t/h

**Model:** KLT1214, KTL1218, KTL1220


**Materials:** Aggregate, Sand, Gravel, Ores, Coal, Fertilizer, Soils, etc.



### Applications:

1. Directly from wheel loaders, grabs and excavators.
2. Stockpiling from secondary crushers and screens.
3. Building stockpiles in warehouses.
4. Loading vessels and barges, directly from wheel loaders or grab cranes.
5. Feeding fixed equipment.
6. Reclaiming and discharging onto overland conveyor systems.
7. Mobile reclaim hopper, feeding onto Stacker/Re-claimer belt.


## KTL Feeder Working Dimensions






## Fully Lowered


Side View



Rear View



Plan View



## KTL Feeder Transporting Dimensions

